


# *Wilson Bohannan*

## LOCK COMPANY





WILSON BOHANNAN.

MANUFACTURER OF PATENT LOCKS.

WILSON BOHANNAN  
MANUFACTURER OF  
PATENT LOCKS

WILSON BOHANNAN  
MANUFACTURER OF  
PATENT LOCKS

## Letter from the Family



Sarah Russell, Trisha Smith and Howard Smith



William Tway, Trisha Smith & Family, Howard Smith and Sarah Russell, Aaron Russell & Family

The high standards and values Mr. Wilson Bohannon put into every padlock his family business produced has carried forward since 1860 until today. Our family is proud to have provided seven generations of the finest quality padlocks and locking devices in the world today.

Many factors distinguish our padlocks from our competition. We are especially proud of the fact, from our inception in Brooklyn, New York to our move to Marion, Ohio in 1926, that we have always been 100% American made.

Another factor is our customer service and sales departments strive to provide every customer with prompt answers to all of their inquiries and prompt delivery of our products. You have our guarantee we will do everything possible to meet and exceed your wants and needs.

The Wilson Bohannon Lock Company has the finest machinery and technology in place to produce the highest quality padlocks. Our engineering department and support staff can assist you with locking devices and meet whatever your needs might be.



# WILSON BOHANNAN LOCKS

## Table of Contents

### **Tab 1 - Why Wilson Bohannan**

All the benefits you get only from WB.

### **Tab 2 - General Purpose Padlocks**

Weatherproof solid brass padlocks made to last a lifetime.

### **Tab 3 - High Security Padlocks**

Double Ball padlocks. Highest resistance to pulling and prying.

### **Tab 4 - Interchangeable Core Padlocks**

Lost key? Personnel change? IC padlocks re-key in seconds.

### **Tab 5 - Legacy Lock Series**

A variety of new padlock models available.

### **Tab 6 - Door Key Compatible Padlocks**

Convenience and control. One key for your doors and padlocks.

### **Tab 7 - Cylinders**

Mortise/Rim cylinders

### **Tab 8 - Accessories**

We offer just about every padlock accessory there is.

### **Tab 9 - Custom Identification**

Customize your padlock or accessory with name, logo or whatever you want.

### **Tab 10 - Lockout/Tagout Systems**

Wide variety of safety lockout products.

### **Tab 11 - Keying Options**

Keyed alike, keyed different, master keyed, grand master keyed and even keyed alike to other manufacturer's keyways.

### **Tab 12 - Ordering Info**

How to order easily by phone or online.

WILSON BOHANNAN STARTED  
MAKING PADLOCKS IN HIS  
GARAGE IN 1860.



TODAY WE ARE THE OLDEST  
FAMILY-OWNED PADLOCK  
COMPANY IN THE U.S.

# WILSON BOHANNAN LOCKS

## 7 Key Reasons Why Wilson Bohannan is a Solid Value for Your Security Investment.

 **Rustproof and Weatherproof.**  
Solid brass construction padlocks that stand the test of time.

 **Lifetime Guarantee**  
Guaranteed against manufacturing defects for the life of the lock.

 **100% Made in America**  
American ingenuity and hard work proudly succeeding since 1860.

 **Restricted Keyways**  
Offered for additional security.

 **Multiple Keying Options**  
Keyed alike, keyed different, master keyed, grand master keyed and even keyed alike to other manufacturer's keyways.

 **Personal Customer Service**  
Padlock professionals - real people - who enjoy helping customers and answering questions.

 **High Tech Manufacturing**  
We utilize the most technologically advanced manufacturing processes and equipment of any padlock manufacturer in the world.



## Wilson Bohannon Product Highlights

Here's a quick overview of the types of brass locks and supporting products and services from Wilson Bohannon. Padlocks available with brass, steel or stainless steel shackles.

### General Purpose “Classic” Padlocks

The classic design of these all-weather solid brass padlocks is ideal for Utility, Industrial and Commercial use. Over 60 models.



### High Security Padlocks (Double Ball Locking)

High security solid brass padlocks are specifically designed for high security areas and industries in a highly corrosive environment. They have two stainless steel balls that lock both sides of the padlock shackle, and a five-pin tumbler mechanism that allows for a wide variety of keying systems. Over 40 models.

### Interchangeable Core Padlocks

The padlock solution when security has been compromised, such as when a key is lost or stolen or when a personnel change takes place. The core in a solid brass interchangeable core padlock can be extracted in seconds from one padlock, and then installed into another, effectively re-keying the padlock. Over 40 models available.



# WILSON BOHANNAN LOCKS

## Wilson Bohannon Product Highlights



### Door Key Compatible Padlocks (Key-In-Knob)

For convenience and security control, over 29 models of solid brass Key-in-Knob padlocks can be keyed to any or all of your door keys. They're compatible with most major OEM Key-in-Knob Cylinders, and available with Lori or Schlage style drivers and brass or stainless steel cylinder retainers.

### Cylinders

Rim and mortise cylinders may be keyed to integrate with most existing Wilson Bohannon keying systems, and can be adapted to most other standard OEM keyways and systems. Available in brass or satin chromium finish. Mortise cylinders available in seven different cam styles. Rim cylinders have two breakaway tail sizes available.



### Accessories and Custom Identification

Sometimes it's the little things – like accessories – that make all the difference. Custom identification, shackle and body chains, ID tags, caps, boots, sleeves, numbering locks and keys, lockout hasps, keyhole covers, color coding - we offer just about every accessory there is.



## Why 100% Made in America Makes a Difference



The Wilson Bohannon Lock company has been manufacturing padlocks for over 160 years.

Mr. Wilson Bohannon started manufacturing locks in his garage with his son, Todd, in 1860 in Brooklyn, New York. Mr. Wilson Tway, the founder's grandson, moved the factory to Marion, Ohio in 1926 where it remains today.

Wilson Bohannon padlocks have always been made in America. We employ Americans who are among the finest workers in the world, and keep all of our revenue from the business in America. We believe this has the most benefit for our country.



Our seven-generation family business is successful because of the many fine people who work for WB. Our corporate family is proud of what we have accomplished. Our employees are industrious, reliable and committed to make the finest padlocks of any lock manufacturer.

# WILSON BOHANNAN LOCKS


## State-of-the-Art Manufacturing

Wilson Bohannon utilizes the most technologically advanced manufacturing processes of any padlock manufacturer in the world.



With our state-of-the-art CNC machines and our in-house end-to-end padlock design systems, we are able to develop almost any possible locking device our customer might need.

Wilson Bohannon uses high-speed multi-spindle machines that allow us to accurately make our major locking component parts quickly, efficiently and to the highest tolerances.



Our high standards insure unmatched quality control and precision manufacturing processes. This enables WB to give our customers a lifetime guarantee on all of our products.

# GENERAL PURPOSE "CLASSIC" PADLOCKS



General Purpose  
Padlocks



# WILSON BOHANNAN LOCKS

## General Purpose “Classic” Padlocks



The classic design of these all-weather solid brass padlocks is ideal for Utility, Industrial and Commercial use. Wilson Bohannon offers over 60 models to choose from, available with brass, hardened steel or stainless steel shackles.



### WB Highlights

- Rustproof solid brass pin tumbler padlocks.
- Over 60 Wilson Bohannon models in a variety of sizes to meet any padlock need.
- Weather resistant brass and stainless steel shackles available.
- Custom laser engraving, monogramming and numbering available.
- Widest variety of accessories available.
- Satisfaction guaranteed.

### WB General Purpose Padlock Models


- Series 0 - 1 1/8” Body Width
- Series 1 - 1 1/2” Body Width
- Series 4 - 1 1/2” Body Width
- Series 5 - 1 1/2” Body Width
- Series 6 - 1 3/4” Body Width
- Series 9 - 2” Body Width
- Series C - 1 1/2” Body Width



No need to get rid of existing padlocks. We can make solid brass padlocks that will key into your existing system. Ask us how.

## General Purpose Padlocks

### Series 0 - 1 1/8" Body Width 4 Pin Tumbler Mechanism



**MFG**  
**Series 0**

MODEL #	Shackle Sizes			Body Width	Shackle Materials
	A	B	C	D	
<b>001</b>	3/16"	5/8"	5/8"	1 1/8"	BRASS
<b>021</b>	3/16"	1"	5/8"	1 1/8"	BRASS
<b>061</b>	3/16"	2"	5/8"	1 1/8"	BRASS

### Series C - 1 1/2" Body Width 5-6 Pin Tumbler Mechanism




**MFG**  
**Series C**

MODEL #	Shackle Sizes			Body Width	Shackle Materials
	A	B	C	D	
<b>C11</b>	3/16"	7/8"	25/32"	1 1/2"	BRASS
<b>C21</b>	3/16"	1"	25/32"	1 1/2"	BRASS
<b>C61</b>	3/16"	2"	25/32"	1 1/2"	BRASS

# WILSON BOHANNAN LOCKS

## General Purpose Padlocks


**Series 1 - 1 1/2" Body Width**  
**5-6 Pin Tumbler Mechanism**



MFG Series 1	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>111</b>	1/4"	7/8"	13/16"	1 1/2"	BRASS
<b>112</b>	1/4"	7/8"	13/16"	1 1/2"	HARDENED STEEL
<b>141</b>	1/4"	1 1/2"	13/16"	1 1/2"	BRASS
<b>142</b>	1/4"	1 1/2"	13/16"	1 1/2"	HARDENED STEEL
<b>161</b>	1/4"	2"	13/16"	1 1/2"	BRASS
<b>162</b>	1/4"	2"	13/16"	1 1/2"	HARDENED STEEL
<b>172</b>	1/4"	3"	13/16"	1 1/2"	HARDENED STEEL
<b>181</b>	1/4"	4"	13/16"	1 1/2"	BRASS
<b>182</b>	1/4"	4"	13/16"	1 1/2"	HARDENED STEEL
<b>192</b>	1/4"	5"	13/16"	1 1/2"	HARDENED STEEL
<b>1A1</b>	1/4"	6"	13/16"	1 1/2"	BRASS
<b>1B1</b>	1/4"	8"	13/16"	1 1/2"	BRASS
<b>1B2</b>	1/4"	8"	13/16"	1 1/2"	HARDENED STEEL

# General Purpose Padlocks

## Series 4 - 1 1/2" Body Width 5 Pin Tumbler Mechanism



**MFG  
Series 4  
Meter Locks**


MODEL #	Pin Sizes		Body Width D	Pin Materials
	A	B		
<b>4E4</b>	3/8" No Pin	No Pin	1 1/2"	No Pin
<b>FE4</b>	5/16" No Pin	No Pin	1 1/2"	No Pin
<b>402</b>	3/8"	5/8"	1 1/2"	STEEL
<b>412</b>	3/8"	7/8"	1 1/2"	STEEL
<b>472</b>	3/8"	3"	1 1/2"	STEEL

\*Custom Pin length available.

# WILSON BOHANNAN LOCKS

## General Purpose Padlocks

**Series 5 - 1 1/2" Body Width**  
**5 Pin Tumbler Mechanism**



MFG Series 5	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>511</b>	9/32"	7/8"	25/32"	1 1/2"	BRASS
<b>512</b>	9/32"	7/8"	25/32"	1 1/2"	HARDENED STEEL
<b>513</b>	9/32"	7/8"	25/32"	1 1/2"	STAINLESS STEEL
<b>531</b>	9/32"	1 1/4"	25/32"	1 1/2"	BRASS
<b>541</b>	9/32"	1 1/2"	25/32"	1 1/2"	BRASS
<b>542</b>	9/32"	1 1/2"	25/32"	1 1/2"	HARDENED STEEL
<b>543</b>	9/32"	1 1/2"	25/32"	1 1/2"	STAINLESS STEEL
<b>571</b>	9/32"	3"	25/32"	1 1/2"	BRASS
<b>572</b>	9/32"	3"	25/32"	1 1/2"	HARDENED STEEL



## General Purpose Padlocks


**Series 6 - 1 3/4" Body Width**  
**5-6 Pin Tumbler Mechanism**

MFG Series 6	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>611</b>	5/16"	7/8"	7/8"	1 3/4"	BRASS
<b>612</b>	5/16"	7/8"	7/8"	1 3/4"	HARDENED STEEL
<b>613</b>	5/16"	7/8"	7/8"	1 3/4"	STAINLESS STEEL
<b>631</b>	5/16"	1 1/4"	7/8"	1 3/4"	BRASS
<b>633</b>	5/16"	1 1/4"	7/8"	1 3/4"	STAINLESS STEEL
<b>635</b>	5/16"	1 1/4"	7/8"	1 3/4"	HARDENED STAINLESS STEEL
<b>651</b>	5/16"	1 5/8"	7/8"	1 3/4"	BRASS
<b>652</b>	5/16"	1 5/8"	7/8"	1 3/4"	HARDENED STEEL
<b>653</b>	5/16"	1 5/8"	7/8"	1 3/4"	STAINLESS STEEL
<b>6C1</b>	5/16"	1 3/4"	7/8"	1 3/4"	BRASS
<b>661</b>	5/16"	2"	7/8"	1 3/4"	BRASS
<b>662</b>	5/16"	2"	7/8"	1 3/4"	HARDENED STEEL
<b>663</b>	5/16"	2"	7/8"	1 3/4"	STAINLESS STEEL
<b>6D1</b>	5/16"	2 1/2"	7/8"	1 3/4"	BRASS
<b>671</b>	5/16"	3"	7/8"	1 3/4"	BRASS
<b>673</b>	5/16"	3"	7/8"	1 3/4"	STAINLESS STEEL
<b>681</b>	5/16"	4"	7/8"	1 3/4"	BRASS
<b>682</b>	5/16"	4"	7/8"	1 3/4"	HARDENED STEEL

# WILSON BOHANNAN LOCKS


## General Purpose Padlocks

**Series 9 - 2" Body Width**  
5-6 Pin Tumbler Mechanism



MFG Series 9		Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D		
<b>921</b>	3/8"	1"	1"	2"	BRASS	
<b>922</b>	3/8"	1"	1"	2"	HARDENED STEEL	
<b>923</b>	3/8"	1"	1"	2"	STAINLESS STEEL	
<b>941</b>	3/8"	1 1/2"	1"	2"	BRASS	
<b>961</b>	3/8"	2"	1"	2"	BRASS	
<b>962</b>	3/8"	2"	1"	2"	HARDENED STEEL	
<b>963</b>	3/8"	2"	1"	2"	STAINLESS STEEL	
<b>9D1</b>	3/8"	2 1/2"	1"	2"	BRASS	
<b>9D3</b>	3/8"	2 1/2"	1"	2"	STAINLESS STEEL	
<b>981</b>	3/8"	4"	1"	2"	BRASS	


# HIGH SECURITY PADLOCKS



# WILSON BOHANNAN LOCKS

## High Security Padlocks (Double Ball Locking)

These padlocks have two stainless steel balls that lock both sides of the padlock shackle, and a five-pin/six-pin tumbler mechanism that allows for a wide variety of keying systems. They are specifically designed for high security areas such as government facilities, security gates, utility substations, and industries in a highly corrosive environment. We offer over 40 models of high security padlocks, available with hardened steel, brass, stainless steel or hardened stainless steel shackle materials. Brass and stainless steel materials prevent rusting and extend the life of the padlock.



**Shackle** - Available in hardened stainless steel for maximum resistance to cutting. Brass and stainless steel shackles also available for increased weather resistance.

**Locking System** - Stainless steel heel and toe locking mechanism provides the highest resistance to pulling and prying. Available in either key or non-key retaining.

**Body** - Solid brass case/body to eliminate any chance of rusting

**Tumbler Mechanism** - Five-pin tumbler mechanism allows for a wide variety of keying systems featuring keyed alike, keyed different and master keyed. Padlock can also be keyed into existing keyways.

### Wilson Bohannon Double Ball High Security Padlock Models

- Series V - 1 1/2" Body Width
- Series X - 1 3/4" Body Width
- Series Y - 2" Body Width


No need to get rid of existing padlocks. We can make solid brass padlocks that will key into your existing system. Ask us how.



# High Security Padlocks (Double Ball Locking)

## Series V - 1 1/2" Body Width

5 Pin Tumbler Mechanism



MFG Series V	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>VT5</b>	9/32"	3/4"	25/32"	1 1/2"	HARDENED STAINLESS STEEL
<b>VG1</b>	9/32"	1 1/8"	25/32"	1 1/2"	BRASS
<b>VG2</b>	9/32"	1 1/8"	25/32"	1 1/2"	HARDENED STEEL
<b>VG3</b>	9/32"	1 1/8"	25/32"	1 1/2"	STAINLESS STEEL
<b>V45</b>	9/32"	1 1/2"	25/32"	1 1/2"	HARDENED STAINLESS STEEL
<b>V61</b>	9/32"	2"	25/32"	1 1/2"	BRASS
<b>V62</b>	9/32"	2"	25/32"	1 1/2"	HARDENED STEEL
<b>V63</b>	9/32"	2"	25/32"	1 1/2"	STAINLESS STEEL
<b>V71</b>	9/32"	3"	25/32"	1 1/2"	BRASS
<b>V72</b>	9/32"	3"	25/32"	1 1/2"	HARDENED STEEL
<b>V73</b>	9/32"	3"	25/32"	1 1/2"	STAINLESS STEEL


Key-retaining feature available for all models in this section.

# WILSON BOHANNAN LOCKS

## High Security Padlocks (Double Ball Locking)

**Series X - 1 3/4" Body Width**  
**5-6 Pin Tumbler Mechanism**


MFG Series X	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>XT5*</b>	5/16"	3/4"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>XG1</b>	5/16"	1 1/8"	27/32"	1 3/4"	BRASS
<b>XG2</b>	5/16"	1 1/8"	27/32"	1 3/4"	HARDENED STEEL
<b>XG3</b>	5/16"	1 1/8"	27/32"	1 3/4"	STAINLESS STEEL
<b>XG5*</b>	5/16"	1 1/8"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>X43</b>	5/16"	1 1/2"	27/32"	1 3/4"	STAINLESS STEEL
<b>X45*</b>	5/16"	1 1/2"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>X61</b>	5/16"	2"	27/32"	1 3/4"	BRASS
<b>X62</b>	5/16"	2"	27/32"	1 3/4"	HARDENED STEEL
<b>X63</b>	5/16"	2"	27/32"	1 3/4"	STAINLESS STEEL
<b>X65*</b>	5/16"	2"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>X71</b>	5/16"	3"	27/32"	1 3/4"	BRASS
<b>X72</b>	5/16"	3"	27/32"	1 3/4"	HARDENED STEEL
<b>X73</b>	5/16"	3"	27/32"	1 3/4"	STAINLESS STEEL
<b>X82</b>	5/16"	4"	27/32"	1 3/4"	HARDENED STEEL



\* Meets or exceeds grade 5 of the ASTM F883 standards for cutting  
 Key-retaining feature available for all models in this section.

# High Security Padlocks (Double Ball Locking)

**Series Y - 2" Body Width**  
**5-6 Pin Tumbler**  
**Mechanism**



MFG Series Y	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>YT5*</b>	3/8"	3/4"	53/64"	2"	HARDENED STAINLESS STEEL
<b>YG1</b>	3/8"	1 1/8"	53/64"	2"	BRASS
<b>YG2</b>	3/8"	1 1/8"	53/64"	2"	HARDENED STEEL
<b>YG3</b>	3/8"	1 1/8"	53/64"	2"	STAINLESS STEEL
<b>YG5*</b>	3/8"	1 1/8"	53/64"	2"	HARDENED STAINLESS STEEL
<b>Y45*</b>	3/8"	1 1/2"	53/64"	2"	HARDENED STAINLESS STEEL
<b>Y61</b>	3/8"	2"	53/64"	2"	BRASS
<b>Y62</b>	3/8"	2"	53/64"	2"	HARDENED STEEL
<b>Y63</b>	3/8"	2"	53/64"	2"	STAINLESS STEEL
<b>Y65*</b>	3/8"	2"	53/64"	2"	HARDENED STAINLESS STEEL
<b>Y71</b>	3/8"	3"	53/64"	2"	BRASS
<b>Y72</b>	3/8"	3"	53/64"	2"	HARDENED STEEL
<b>Y73</b>	3/8"	3"	53/64"	2"	STAINLESS STEEL
<b>Y52</b>	3/8"	5"	53/64"	2"	HARDENED STEEL

\* Meets or exceeds grade 6 of the ASTM F883 standards for cutting  
*Key-retaining feature available for all models in this section.*

# WILSON BOHANNAN LOCKS

## High Security Padlocks (Double Ball Locking)

Wilson Bohannon High Security padlocks are specifically designed for high security areas such as government facilities, security gates, utility substations, and industries in a highly corrosive environment.



# INTERCHANGEABLE CORE PADLOCKS




Interchangeable  
Core Padlocks

# WILSON BOHANNAN LOCKS

## Interchangeable Core Padlocks (Double Ball Locking)

Interchangeable core (SFIC) locks are the padlock solution when security has been compromised. For example, when a key is lost or stolen, or when a personnel change takes place. The core in an interchangeable core padlock can be extracted in seconds from one padlock, and then installed into another - effectively re-keying the padlock. The extracted cores can then be recombined at your convenience and stored for future use.

### Interchangeable Core Series



### WB Highlights


- Rustproof solid brass construction.
- Multiple keying options for large facilities and institutions.
- Stainless steel double-ball locking for added security.
- Accepts Arrow™, Best™, Falcon™ and KSP™ and comparable cores (6 or 7 pin – spacers not needed).
- Available key or non-key retaining.
- Customized identification and numbering available.
- Colored or brass tags and brass or steel chains also available.

### WB Interchangeable Core Padlock Models

Series 84 - 1 3/4" Body Width  
Series 85 - 1 3/4" Body Width  
Series 86 - 2" Body Width  
IC Cores

## Interchangeable Core Padlocks (Double Ball Locking)

### Series 84 - 1 3/4" Body Width 6-7 Pin Removable Core Mechanism



MFG Series 84	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>84T5</b>	9/32"	3/4"	25/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>8411</b>	9/32"	1 1/8"	25/32"	1 3/4"	BRASS
<b>8412</b>	9/32"	1 1/8"	25/32"	1 3/4"	HARDENED STEEL
<b>8413</b>	9/32"	1 1/8"	25/32"	1 3/4"	STAINLESS STEEL
<b>84X5</b>	9/32"	1 1/2"	25/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>8421</b>	9/32"	2"	25/32"	1 3/4"	BRASS
<b>8422</b>	9/32"	2"	25/32"	1 3/4"	HARDENED STEEL
<b>8423</b>	9/32"	2"	25/32"	1 3/4"	STAINLESS STEEL
<b>8431</b>	9/32"	3"	25/32"	1 3/4"	BRASS
<b>8432</b>	9/32"	3"	25/32"	1 3/4"	HARDENED STEEL
<b>8433</b>	9/32"	3"	25/32"	1 3/4"	STAINLESS STEEL

Key-retaining feature available for all models in this section.

# WILSON BOHANNAN LOCKS

## Interchangeable Core Padlocks (Double Ball Locking)

**Series 85 - 1 3/4" Body Width**  
**6-7 Pin Removable Core Mechanism**




MFG Series 85	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>85T5*</b>	5/16"	3/4"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>8511</b>	5/16"	1 1/8"	27/32"	1 3/4"	BRASS
<b>8512</b>	5/16"	1 1/8"	27/32"	1 3/4"	HARDENED STEEL
<b>8513</b>	5/16"	1 1/8"	27/32"	1 3/4"	STAINLESS STEEL
<b>8515*</b>	5/16"	1 1/8"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>85X3</b>	5/16"	1 1/2"	27/32"	1 3/4"	STAINLESS STEEL
<b>85X5*</b>	5/16"	1 1/2"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>8521</b>	5/16"	2"	27/32"	1 3/4"	BRASS
<b>8522</b>	5/16"	2"	27/32"	1 3/4"	HARDENED STEEL
<b>8523</b>	5/16"	2"	27/32"	1 3/4"	STAINLESS STEEL
<b>8525*</b>	5/16"	2"	27/32"	1 3/4"	HARDENED STAINLESS STEEL
<b>8531</b>	5/16"	3"	27/32"	1 3/4"	BRASS
<b>8532</b>	5/16"	3"	27/32"	1 3/4"	HARDENED STEEL
<b>8533</b>	5/16"	3"	27/32"	1 3/4"	STAINLESS STEEL
<b>8542</b>	5/16"	4"	27/32"	1 3/4"	HARDENED STEEL

\* Meets or exceeds grade 5 of the ASTM F883 standards for cutting  
 Key-retaining feature available for all models in this section.

# Interchangeable Core Padlocks (Double Ball Locking)

**Series 86 - 2" Body Width**  
6-7 Pin Removable Core Mechanism



MFG Series 86	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>86T5*</b>	3/8"	3/4"	53/64"	2"	HARDENED STAINLESS STEEL
<b>8611</b>	3/8"	1 1/8"	53/64"	2"	BRASS
<b>8612</b>	3/8"	1 1/8"	53/64"	2"	HARDENED STEEL
<b>8613</b>	3/8"	1 1/8"	53/64"	2"	STAINLESS STEEL
<b>8615*</b>	3/8"	1 1/8"	53/64"	2"	HARDENED STAINLESS STEEL
<b>86X5*</b>	3/8"	1 1/2"	53/64"	2"	HARDENED STAINLESS STEEL
<b>8621</b>	3/8"	2"	53/64"	2"	BRASS
<b>8622</b>	3/8"	2"	53/64"	2"	HARDENED STEEL
<b>8623</b>	3/8"	2"	53/64"	2"	STAINLESS STEEL
<b>8625*</b>	3/8"	2"	53/64"	2"	HARDENED STAINLESS STEEL
<b>8631</b>	3/8"	3"	53/64"	2"	BRASS
<b>8632</b>	3/8"	3"	53/64"	2"	HARDENED STEEL
<b>8633</b>	3/8"	3"	53/64"	2"	STAINLESS STEEL
<b>8652</b>	3/8"	5"	53/64"	2"	HARDENED STEEL

\* Meets or exceeds grade 6 of the ASTM F883 standards for cutting  
Key-retaining feature available for all models in this section.


# WILSON BOHANNAN LOCKS

## Interchangeable Core Padlocks (Double Ball Locking)

### IC Cores

Part #	Description	Keyway Profile	Finishes #4 - Satin Brass #26D - Satin Chromium Plated
<b>Uncombined Cores</b>			
<b>WB206</b>	6 PIN CORE	(CHOOSE FROM BELOW)	#4 or #26D
<b>WB207</b>	7 PIN CORE	(CHOOSE FROM BELOW)	#4 or #26D
- ORDER EXAMPLE: <b>WB206-A-26D</b> UNCOMBINED -			
<b>Combined Cores</b>			
<b>WB206C</b>	6 PIN CORE	(CHOOSE FROM BELOW)	#4 or #26D
<b>WB207C</b>	7 PIN CORE	(CHOOSE FROM BELOW)	#4 or #26D
- ORDER EXAMPLE: <b>WB206C-A-26D</b> COMBINED -			

### Keyways Profile Available



## Interchangeable Core Padlocks (Double Ball Locking)

IC Cores



Part #	Description	Keyway Profile	Finishes
			#4 - Satin Brass #26D - Satin Chromium Plated
<b>Combinated Cores</b>			
<b>WB305C*</b>	5 PIN .155 CORE	(CHOOSE FROM NEXT PAGE)	#4
<b>WB306C*</b>	5-6 PIN .135 CORE	(CHOOSE FROM NEXT PAGE)	#4
<b>307LS</b>	GRADE 1 LEVER SET (core/less keys)	DETERMINE FUNCTION	#26D
<b>308LS</b>	GRADE 2 LEVER SET (core/less keys)	DETERMINE FUNCTION	#26D
<b>309DB</b>	IC DEAD BOLT (less core)	(CHOOSE FROM NEXT PAGE)	#26D
- ORDER EXAMPLE: <b>WB305C-A-4</b> COMBINATED -			

\* Operating/Control Keys sold separately

# WILSON BOHANNAN LOCKS

Interchangeable Core Padlocks (now available in WB keyway)

## Keyway Profile Available

WB IC CORE  
A KEYWAY



WB IC CORE  
AR KEYWAY



WB IC CORE  
B KEYWAY



WB IC CORE  
BR KEYWAY



WB IC CORE  
C KEYWAY



WB IC CORE  
CR KEYWAY



WB IC CORE  
D KEYWAY



WB IC CORE  
DR KEYWAY



WB IC CORE  
E KEYWAY



WB IC CORE  
F KEYWAY



WB IC CORE  
FR KEYWAY



# "NEW LEGACY" LOCK SERIES



"New Legacy"  
Lock Series

# WILSON BOHANNAN LOCKS

## Wilson Bohannon “New Legacy” Lock Series Padlocks

Created with the unique craftsmanship that all Wilson Bohannon Locks entail, the “New Legacy” Lock Series builds upon that history. The classic design of these all-weather solid brass padlocks is transformed into the Wilson Bohannon “New Legacy” Lock Series padlocks. The three security series that are added to our collection includes: Cable Lock Series, Trailer Lock Series, and Anti-Theft Shrouded Lock Series.




### WB Highlights

- 100% American Made
- Rustproof solid brass pin tumbler padlocks
- New application uses tailored for unique locking applications
- Custom laser engraving, monogramming and coloring available



# “New Legacy” Locks

## Cable Lock Series



Model #	Cable Clearance	Total Cable Length	Cable Dia.	Body Width
	A	B		C
<b>0Q3</b>	3"	7.5"	3/16"	1 1/8"
<b>0Q3</b>	6"	13.5"	3/16"	1 1/8"
<b>5Q3</b>	12"	25.5"	1/4", Lock-flange 9/32"	1 1/2"
<b>5Q3</b>	24"	49.5"	1/4", Lock-flange 9/32"	1 1/2"
<b>5Q3</b>	60" (5')	121.5"	1/4", Lock-flange 9/32"	1 1/2"
<b>6Q3</b>	12"	25.5"	5/16"	1 3/4"
<b>6Q3</b>	24"	49.5"	5/16"	1 3/4"
<b>6Q3</b>	60" (5')	121.5"	5/16"	1 3/4"
<b>9Q3</b>	12"	25.5"	3/8"	2"
<b>9Q3</b>	24"	49.5"	3/8"	2"
<b>9Q3</b>	60" (5')	121.5"	3/8"	2"

# WILSON BOHANNAN LOCKS

## “New Legacy” Locks

### Trailer Lock Series



MODEL #	Pin Clearance	Body Width	Pin Materials
	A	B	
<b>4P3*</b>	2"	1 1/2"	304 STAINLESS STEEL
<b>4R3*</b>	3"	1 1/2"	304 STAINLESS STEEL


### Shrouded Lock Series



Model #	Body Width	Body Height	Finishes
<b>SHRD001*</b>	2 3/4"	3 1/8"	SOLID BRASS AND PLATED
<b>SHRD002*</b>	2 3/4"	3 1/8"	ALUMINUM AND ANODIZED BLACK

\*Padlock is model 923

# DOOR KEY COMPATIBLE PADLOCKS






# WILSON BOHANNAN LOCKS

## Door Key Compatible (Key-In-Knob)

For convenience and security control, Wilson Bohannan padlocks can be keyed to any or all of your door keys. One key works for multiple applications – front door, side door, fence gate, tool crib, and meters.



Our Key-in-Knob padlocks are compatible with select Arrow™, Corbin™, Kwikset™, Russwin™, Sargent™, Schlage™, Weiser™ and Yale™ Key-in-Knob Cylinders. Available with Lori™ or Schlage™ style drivers and brass or stainless steel cylinder retainers.



### WB Highlights


- 29 Wilson Bohannan padlock models available.
- Solid brass and stainless steel construction to prevent rusting and extend padlock life.
- Cores available with US-4 Brass or 26-D Chrome finishes.
- Double ball locking provides highest resistance to pulling or prying.
- Available key retaining and non-key retaining.

### WB Door Key Compatible Padlock Models

Series 88 - 2" Body Width  
Series 89 - 2" Body Width

## Door Key Compatible (Key-In-Knob)

**Series 88 - 2" Body Width**  
Removable Core Mechanism




MFG Series 88	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>88T5*</b>	5/16"	3/4"	27/32"	2"	HARDENED STAINLESS STEEL
<b>8811</b>	5/16"	1 1/8"	27/32"	2"	BRASS
<b>8812</b>	5/16"	1 1/8"	27/32"	2"	HARDENED STEEL
<b>8813</b>	5/16"	1 1/8"	27/32"	2"	STAINLESS STEEL
<b>8815*</b>	5/16"	1 1/8"	27/32"	2"	HARDENED STAINLESS STEEL
<b>88X3</b>	5/16"	1 1/2"	27/32"	2"	STAINLESS STEEL
<b>88X5*</b>	5/16"	1 1/2"	27/32"	2"	HARDENED STAINLESS STEEL
<b>8821</b>	5/16"	2"	27/32"	2"	BRASS
<b>8822</b>	5/16"	2"	27/32"	2"	HARDENED STEEL
<b>8823</b>	5/16"	2"	27/32"	2"	STAINLESS STEEL
<b>8825*</b>	5/16"	2"	27/32"	2"	HARDENED STAINLESS STEEL
<b>8831</b>	5/16"	3"	27/32"	2"	BRASS
<b>8832</b>	5/16"	3"	27/32"	2"	HARDENED STEEL
<b>8833</b>	5/16"	3"	27/32"	2"	STAINLESS STEEL
<b>8842</b>	5/16"	4"	27/32"	2"	HARDENED STEEL

\* Meets or exceeds grade 5 of the ASTM F883 standards for cutting  
Key-retaining feature available for all models in this section.

# WILSON BOHANNAN LOCKS

## Door Key Compatible (Key-In-Knob)

**Series 89 - 2" Body Width**  
**Removable Core Mechanism**



MFG Series 89	Shackle Sizes			Body Width	Shackle Materials
MODEL #	A	B	C	D	
<b>89T5*</b>	3/8"	3/4"	53/64"	2"	HARDENED STAINLESS STEEL
<b>8911</b>	3/8"	1 1/8"	53/64"	2"	BRASS
<b>8912</b>	3/8"	1 1/8"	53/64"	2"	HARDENED STEEL
<b>8913</b>	3/8"	1 1/8"	53/64"	2"	STAINLESS STEEL
<b>8915*</b>	3/8"	1 1/8"	53/64"	2"	HARDENED STAINLESS STEEL
<b>89X5*</b>	3/8"	1 1/2"	53/64"	2"	HARDENED STAINLESS STEEL
<b>8921</b>	3/8"	2"	53/64"	2"	BRASS
<b>8922</b>	3/8"	2"	53/64"	2"	HARDENED STEEL
<b>8923</b>	3/8"	2"	53/64"	2"	STAINLESS STEEL
<b>8925*</b>	3/8"	2"	53/64"	2"	HARDENED STAINLESS STEEL
<b>8931</b>	3/8"	3"	53/64"	2"	BRASS
<b>8932</b>	3/8"	3"	53/64"	2"	HARDENED STEEL
<b>8933</b>	3/8"	3"	53/64"	2"	STAINLESS STEEL
<b>8952</b>	3/8"	5"	53/64"	2"	HARDENED STEEL

\* Meets or exceeds grade 6 of the ASTM F883 standards for cutting  
 Key-retaining feature available for all models in this section.

# CYLINDERS



Cylinders



# WILSON BOHANNAN LOCKS

## Cylinders

### Rims and Mortise

Rim and Mortise cylinders may be keyed to integrate with most existing Wilson Bohannon keying systems, and can be adapted to most other standard OEM keyways and systems. Both Rim and Mortise cylinders are 1 1/8" in length with beauty rings.



### Mortise Cylinder Models



#### MCYL - US3

- Brass finish and beauty ring
- Length 1 1/8"
- Fits standard door




#### MCYL - US26D


- Satin Chromium finish and beauty ring
- Length 1 1/8"
- Fits standard door

### Cam Styles

Mortise Cylinders are available in seven different cam styles.



1-Standard Cam



2-Adams Rite Cam




3-Clover Corbin/  
Ruswin Best Cam



4-Schlage Cam



5-Sargent/Yale Cam



6-Segal/Emhart Cam



7-Lori Deadbolt Cam

### Rim Cylinder Models



#### RCYL - US3

- Brass finish and beauty ring
- Length 1 1/8"
- Breakaway tail piece
- Fits standard door



#### RCYL - US26D

- Satin Chromium finish and beauty ring
- Length 1 1/8"
- Breakaway tail piece
- Fits standard door

### Tail Piece Lengths

Rim cylinders feature two sizes of breakaway tail-piece to fit the thickness of most standard doors.



1-Standard  
1 3/4"



2-Long  
2 3/8"

# ACCESSORIES



Accessories




# WILSON BOHANNAN LOCKS

## Accessories

Sometimes it's the little things - like accessories - that make all the difference. We offer just about every padlock accessory there is:

- Boots
- Caps
- Chains - Shackle and Body
- Frangible Shackles
- ID Tags
- Key Retaining Padlocks
- Keyhole Covers
- Laser Engraving
- Lockout Hasps
- Lubricant
- Numbered Locks and Keys
- Pin Striping
- Sleeves
- Tamper Evident Padlocks
- Paint
- Graphite




---

## Accessories

### Boots

Especially popular in the transportation industry, rubber boots keep mud, slush and other undesirables from entering, accumulating (and sometimes, freezing) inside the keyhole. Shackle strap keeps the boot from being misplaced when the keyhole is accessed. Available in 1 ½", 1 ¾" and 2" versions.



### Caps

Often used as an integral part of a lockout/tagout program, caps add flexibility to your color coding system. The long-lasting caps are removable and interchangeable; but cannot be removed when the padlock is locked. Available in all OSHA colors, or in any other color you desire.

### Chains - Shackle and Body

When you need to safeguard your padlocks and prevent them from being dropped or accidentally removed, Wilson Bohannon offers two varieties of security chains.

**Shackle Chain** - secured when the padlock is locked; the chain is easily removed when the padlock is unlocked.

**Body Chain** - the chain is permanently attached to the lock body.



Chains are available in 9" or 15", in brass or steel. Heavy 3/0 Bulldog chain also available. Custom sizes available.

# WILSON BOHANNAN LOCKS

## Accessories



### Frangible Shackles

When speed is of the essence, these shackles can be broken off with a sharp blow. Available in brass only (9/32" and 5/16").

### ID Tags

Identification Tags are sold individually, mounted on padlock bodies, or on shackle with collar. Round tags are available in brass or enameled aluminum in the following colors: red, blue, green, orange, silver, gold and purple. Oblong tags are available in brass only. ID tags can be custom stamped with the words and/or numbers that meet your specifications.



### Key Retaining Padlock Option

Padlocks can be configured so that the key will not come out until the padlock has been locked. This option helps to prevent people accidentally forgetting to relock the padlock. Available as a "no extra charge" option on our High Security, Interchangeable Core and Door Key Compatible padlocks.



### Keyhole Covers

Keyhole covers keep mud, slush and other undesirables from entering, accumulating (and sometimes, freezing) inside the keyhole.



## Accessories



### Laser Engraving

Now even intricate designs can be part of your custom identification. Using your digital artwork, computer-assisted laser engraving is available for tags, cores, shackles and keys. Premium laser engraving on lock bodies is available - please consult factory for more information.

### Lock Out Hasps

These safety lockout hasps are specifically designed for locking out power sources such as disconnects, switches or valves. Zinc-plated to resist rusting, these hasps feature interlocking tabs that prevent improper removal. Red vinyl coating serves as a warning tag.



Each hasp will take up to 6 padlocks and accept a maximum shackle diameter of 5/16". Available in 1" or 1 1/2" I.D. locking mechanism dimensions.



### Lubricant

Powdered graphite is the best means to lubricate the metal working parts of your Wilson Bohannon padlocks.

### Numbered Locks and Keys

For added security and instant identification, we can provide numbered padlocks and keys.



# WILSON BOHANNAN LOCKS

## Accessories



### Pin Striping

Customize your padlocks with ¼” or ½” vinyl pin striping. Available in several colors.


## Sleeves

Often used as an integral part of a lockout/tagout program, our durable sleeves are perfect solution for a long-lasting color coding system. Quickly differentiate padlocks from different departments or units with sleeves available in the many colors.



## Tamper Evident Padlocks

These padlocks provide all the protection and reusability of Wilson Bohannon padlocks, along with the tamper indication/deterrence feature of single-use seals. Tamper Evident Padlocks feature a 1/8” diameter hole that passes through the body and shackle. Applying an indicative seal through this cavity prevents the padlock from being opened without first having to remove and destroy the seal.



# CUSTOM IDENTIFICATION



# WILSON BOHANNAN LOCKS

## Custom Identification

### Engraving and Stamping

For added security and instant identification, we can custom engrave or stamp your padlocks with name, number, symbol, company logo, or whatever you want.



### Color Coding

Quickly differentiate padlocks from different departments or units by color coding them in a variety of ways:

- Painted bodies
- Pin striping
- Sleeves
- Caps
- ID tags



**NOTE:** We can provide painted padlock bodies and caps in any custom color you need. Please provide PMS number or sample of color you require.

### Colors Available

#### Paint colors:

OSHA Safety Colors are standard - Red, Blue, Green, Yellow and Orange.

#### Pin Striping colors:

Red, Blue, Green, Yellow, Black, Purple, Orange, White and Gold.

#### Sleeve colors:

Red and Blue.

#### Cap colors:

Red, Blue, Green, Yellow, Black, Purple, Orange and White.

#### Tag colors:

Red, Blue, Green, Yellow, Black, Purple, Orange, White and Gold.

# LOCKOUT/TAGOUT SYSTEMS



# WILSON BOHANNAN LOCKS

## Lockout/Tagout Systems

OSHA's "Lockout/Tagout" (lock and tag) safety procedure requires locking out machinery or its power source, thus rendering the equipment inoperable during maintenance or service operations. Wilson Bohannon offers a variety of safety lockout products:

- Lockout hasps.
- Custom monogramming on locks, keys and/or tags.
- Anodized aluminum tags.
- Color coding with paint, sleeves and/or caps - in a wide variety of colors.
- Solid brass padlocks keyed alike, different or master keyed.



### Lockout Hasps

These safety lockout hasps are specifically designed for locking out power sources such as disconnects, switches or valves. Zinc-plated to resist rusting, these hasps feature interlocking tabs that prevent improper removal. Red vinyl coating serves as a warning tag.



Each hasp will take up to 6 padlocks, and accept a maximum shackle diameter of 5/16". Available in 1" (model #HSL-1) or 1 1/2" (model # HSL-2) I.D. locking mechanism dimensions.

---

## Lockout/Tagout Systems

### Custom Identification

For added security and instant identification, we can custom engrave your padlocks with name, number, artwork, logo – whatever you want. We can also number tags, locks and keys to your specifications.



### Color Coding

Quickly differentiate padlocks from different departments or units by color coding them in a variety of ways:

- Painted bodies
- Pin striping
- Sleeves
- Caps
- ID tags

### Colors Available

#### Paint colors:

OSHA Safety Colors are standard - Red, Blue, Green, Yellow and Orange.

#### Pin Striping colors:

Red, Blue, Green, Yellow, Black, Purple, Orange, White and Gold.

#### Sleeve colors:

Red and Blue.

#### Cap colors:

Red, Blue, Green, Yellow, Black, Purple, Orange and White.

#### Tag colors:

Red, Blue, Green, Yellow, Black, Purple, Orange, White and Gold.



**NOTE:** We can provide painted padlock bodies and caps in any color you need. Please provide PMS number or sample of color you require.

### Sleeves

Often used as an integral part of a lockout/tagout program, our durable sleeves are perfect solution for a long-lasting color coding system. Quickly differentiate padlocks from different departments or units with sleeves available in the many colors.



# WILSON BOHANNAN LOCKS

## Lockout/Tagout Systems

### Caps

Often used as an integral part of a lockout/tagout program, caps add flexibility to your color coding system. The long-lasting caps are removable and interchangeable; but cannot be removed when the padlock is locked. Available in the many standard colors - or in any other color you desire.




### ID Tags

Identification Tags are sold individually, mounted on padlock bodies, or on shackle with collar. Round tags are available in brass or enameled aluminum in the following colors: red, blue, green, orange, silver, gold and purple. Oblong tags are available in brass only. ID tags can be custom stamped with the words and/or numbers that meet your specifications.

### Tamper Evident Padlocks

These padlocks provide all the protection and reusability of Wilson Bohannon padlocks, along with the tamper indication/deterrence feature of single-use seals. Tamper Evident Padlocks feature a 1/8" diameter bored hole that passes through the body and shackle. Applying an indicative seal through this cavity prevents the padlock from being opened without first having to remove and destroy the seal.



**NOTE:** We can provide painted padlock bodies and caps in any color you need. Please provide PMS number or sample of color you require.

# KEYING OPTIONS






# WILSON BOHANNAN LOCKS

## Keyed Alike and Keyed Differently

### Keyed Alike Padlocks

All padlocks are operated by the same key. Each of these keyed alike padlocks is provided with one key. Additional keys may be purchased separately.



### Keyed Different Padlocks

Each padlock has its own unique key. Each keyed different padlock is provided with two keys. Additional keys may be purchased separately.



## Master Key System

A master key is a single key that will open multiple locks/sets that are each keyed separately. Once the system has been set up, additional locks can be added to accommodate future expansion.

Wilson Bohannon can work with you to create a master keyed system that fits your safety/security needs and matches up with your organization's growth plans.



# WILSON BOHANNAN LOCKS

## Grand Master Key System

A grand master key is one that will open locks managed by multiple master keys. We can assist you in developing your grand master keying systems if needed.



## Keys

### Cut Keys

Wilson Bohannon factory cut keys are an identical match to the specifications of your Wilson Bohannon padlock or cylinder. This is especially important for master keying systems.



**Three Standard Key Sizes**  
Wilson Bohannon keys come in three standard sizes.



For your existing Wilson Bohannon padlock(s), we can provide cut keys to fit them. This process is much faster if you can provide the reorder number, located on your invoice and stamped on your Purchase Order.

### Blank Keys




WB Key Model Numbers		
Key Size	Blank	Cut
2 1/16"	KB6	CK6
1 7/8"	KB5	CK5
1 9/16"	KB4	CK4

If you prefer to have your keys duplicated locally, we can provide key blanks to fit your padlock(s) as well.

# WILSON BOHANNAN LOCKS

## Keyways

This keyway chart will assist you to find the correct key blank you need.



Certain keyways are restricted. Please call factory when ordering.

## Keying to Other Manufacturers

No need to get rid of existing padlocks. We can make solid brass padlocks that will key into your existing system.

Ask us how.



# ORDERING INFORMATION



Ordering  
Information



# WILSON BOHANNAN LOCKS

## Ordering Information Overview

At Wilson Bohannon we are committed to making ordering as easy - and enjoyable - as possible.

The following four pages detail the model numbering and ordering information for each of our four padlock product categories:

1. General Purpose (Classic)
2. High Security
3. Interchangeable Core (IC)
4. Door Key Compatible (Key-in-Knob)

### Each category padlock page describes:

1. The basic parts of that padlock that relate with our model numbers.
2. How to read or identify our typical three-digit model numbers.
3. How to read or identify our additional keying and accessories model numbers.

If you have any questions, please don't hesitate to contact us. Our friendly, knowledgeable WB padlock experts are standing by, Monday through Friday, 8am to 5pm EST.

**▶ Please note that locks keyed alike are furnished with one key, and locks keyed differently are furnished with two keys.**

## Ordering Information

### General Purpose "Classic" Padlocks

Phone - 800-382-3639


Fax - 740-383-1653

Email - [wbc0@padlocks.com](mailto:wbc0@padlocks.com)

**Wilson Bohannon**

621 Buckeye St.

Marion, OH 43302



The Parts of a Padlock for Model Numbering

## How to Read WB Model Numbers

Typical Three Digit Model Number - ① ② ③

Additional Digits in the Model Number - ① ② ③ ④ ⑤

① Series Number      ② Shackle Clearance      ③ Shackle Material

1 = Brass

2 = Case Hardened Steel

3 = 304 Stainless Steel

5 = 416 Hardened Stainless Steel

**For Additional Accessories, Please Contact Us!**

### ④ Keying

0 = "0" Bitted

1 = KA: Keyed Alike

2 = KD: Keyed Differently

3 = KA-MK: Keyed Alike, Master Keyed

4 = KD-MK: Keyed Differently, Master Keyed

5 = KA-GMK: Keyed Alike, Grand Master Keyed

6 = KD-GMK: Keyed Differently, Grand Master Keyed

7 = Special Keyway

Locks keyed alike - 1 key furnished

Locks keyed differently - 2 keys furnished

### ⑤ Accessories

0 = None

1 = 9" Steel Chain Attached to Body

2 = 9" Steel Chain Attached to Shackle

3 = 9" Brass Chain Attached to Body

4 = 9" Brass Chain Attached to Shackle

5 = 15" Brass Chain Attached to Body

6 = 15" Brass Chain Attached to Shackle

7 = Brass ID Tag Attached to Body

8 = Brass ID Tag Attached to Shackle

9 = Enameled Aluminum Tag Attached to Body

A = Enameled Aluminum Tag Attached to Shackle

## Additional Information

Minimum order one dozen. | For special shackles please call. | Lubricate padlocks with powdered graphite.

# WILSON BOHANNAN LOCKS

## Ordering Information High Security Padlocks


### How to Read WB Model Numbers

Typical Three Digit Model Number -

①    ②    ③

Additional Digits in the Model Number -

①    ②    ③    ④    ⑤



The Parts of a Padlock for Model Numbering

① Series Number

② Shackle Clearance

③ Shackle Material

- 1 = Brass
- 2 = Case Hardened Steel
- 3 = 304 Stainless Steel
- 5 = 416 Hardened Stainless Steel

**For Additional Accessories, Please Contact Us!**

④ Keying

- 0 = "0" Bitted
- 1 = KA: Keyed Alike
- 2 = KD: Keyed Differently
- 3 = KA-MK: Keyed Alike, Master Keyed
- 4 = KD-MK: Keyed Differently, Master Keyed
- 5 = KA-GMK: Keyed Alike, Grand Master Keyed
- 6 = KD-GMK: Keyed Differently, Grand Master Keyed
- 7 = Special Keyway

Locks keyed alike - 1 key furnished

Locks keyed differently - 2 keys furnished

⑤ Accessories

- 0 = None
- 1 = 9" Steel Chain Attached to Body
- 2 = 9" Steel Chain Attached to Shackle
- 3 = 9" Brass Chain Attached to Body
- 4 = 9" Brass Chain Attached to Shackle
- 5 = 15" Brass Chain Attached to Body
- 6 = 15" Brass Chain Attached to Shackle
- 7 = Brass ID Tag Attached to Body
- 8 = Brass ID Tag Attached to Shackle
- 9 = Enameled Aluminum Tag Attached to Body
- A = Enameled Aluminum Tag Attached to Shackle

**Please add "KR" to your order if you want to add the key retaining option.**

### Additional Information


Minimum order one dozen. | For special shackles please call. | Lubricate padlocks with powdered graphite.

## Ordering Information

### Interchangeable Core Padlocks

Phone - 800-382-3639  
 Fax - 740-383-1653  
 Email - [wbc0@padlocks.com](mailto:wbc0@padlocks.com)

**Wilson Bohannan**  
 621 Buckeye St.  
 Marion, OH 43302



The Parts of an IC Padlock for Model Numbering

## How to Read WB Interchangeable Core Model Numbers

Typical Five Digit Model Number - (1) and (2) (3) (4) (5)

(1) and (2) **Series Number**      (3) **Shackle Clearance**      (4) **Shackle Material**

- 1 = Brass
- 2 = Case Hardened Steel
- 3 = 304 Stainless Steel
- 5 = 416 Hardened Stainless Steel

### For Additional Accessories, Please Contact Us!

#### Please specify the following when placing an order for interchangeable core padlocks:

1. Add "KR" to the model number if you want to add the Key Retaining Option.

#### Please specify the following when placing an order for cores:

1. Specify 6 or 7-Pin Core
2. Specify Keyway Profile
3. Specify Core Finish: Satin Brass (#4) or Satin Chromium Plated (#26D)

#### (5) Accessories

- 0 = None
- 1 = 9" Steel Chain Attached to Body
- 2 = 9" Steel Chain Attached to Shackle
- 3 = 9" Brass Chain Attached to Body
- 4 = 9" Brass Chain Attached to Shackle
- 5 = 15" Brass Chain Attached to Body
- 6 = 15" Brass Chain Attached to Shackle
- 7 = Brass ID Tag Attached to Body
- 8 = Brass ID Tag Attached to Shackle
- 9 = Enameled Aluminum Tag Attached to Body
- A = Enameled Aluminum Tag Attached to Shackle

## Additional Information

Minimum order one dozen. | For special shackles please call. | Lubricate padlocks with powdered graphite.

# WILSON BOHANNAN LOCKS

## Ordering Information Door Key Compatible

**Phone** - 800-382-3639


**Fax** - 740-383-1653

**Email** - wbco@padlocks.com

**Wilson Bohannon**

621 Buckeye St.

Marion, OH 43302



The Parts of a Padlock for Model Numbering

## How to Read WB Door Key Compatible Model Numbers

Typical Five Digit Model Number -    ① and ②   ③   ④   ⑤

① and ② **Series Number**

③ **Shackle Clearance**

④ **Shackle Material**

1 = Brass

2 = Case Hardened Steel

3 = 304 Stainless Steel

5 = 416 Hardened Stainless Steel

### For Additional Accessories, Please Contact Us!

⑤ **Accessories**

0 = None

1 = 9" Steel Chain Attached to Body

2 = 9" Steel Chain Attached to Shackle

3 = 9" Brass Chain Attached to Body

4 = 9" Brass Chain Attached to Shackle

5 = 15" Brass Chain Attached to Body

6 = 15" Brass Chain Attached to Shackle

7 = Brass ID Tag Attached to Body

8 = Brass ID Tag Attached to Shackle

9 = Enameled Aluminum Tag Attached to Body

A = Enameled Aluminum Tag Attached to Shackle

**Please specify the following when placing an order for door key compatible padlocks:**

1. Add "KR" to the model number if you want to add the Key Retaining Option.
2. Specify either Schlage™ or Lori™ Driver.
3. Specify either Brass (standard) or Stainless Steel Cylinder Retainer.

## Additional Information

Minimum order one dozen. | For special shackles please call. | Lubricate padlocks with powdered graphite.

# CONNECT WITH US



Connect  
With Us



# WILSON BOHANNAN LOCKS

## Connect With Us



### YouTube

Stay connected with Wilson Bohannon Lock Company by viewing historical and recent video posts. Videos include historical information on our company, product highlights, and community involvement.



YOUTUBE.COM  
Celebrating 160 Years:  
What Can We Build For You?



### LinkedIn

Stay connected with Wilson Bohannon Lock Company by interacting with our highly trained and skilled associates who have over 160 years locking experience. Here you will find business, professional, and community connections our company has with the public.



### Twitter

Stay connected with Wilson Bohannon Lock Company by keeping up with current events the business is involved in. Whether its trade shows we participate in, where our travels take us, or our community involvement, WB will post here in real time.



### Facebook

Stay connected with Wilson Bohannon Lock Company by viewing latest community involvement, the latest “In the News” features, and important business announcements. You can find many lock collectors, locksmiths, and businesses interacting with our company here.



## GIVEAWAY





**Need one or a few padlocks fast? Visit our online store: [www.wbpadlocks.com](http://www.wbpadlocks.com)**  
New products, special promotions, and ready to ship items are available at your convenience.

THANK YOU FOR YOUR BUSINESS!





WHAT *can* WE  
*build* FOR *you?*

WELL



BUILT

LOCKS  
SINCE 1860

Wilson Bohannan Lock Company  
621 Buckeye Street  
Marion, OH 43302  
800-382-3639 | [www.padlocks.com](http://www.padlocks.com)  
[wbc0@padlocks.com](mailto:wbc0@padlocks.com)